10011512, 12 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011518, 18 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011600, 24 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s


10011606, 30 hour forecast for 100mb T
03:43
03:38
05:15
03:33
05:10
03:28
190
T, K
Precip past 6 hours 4 kg/m2 or greater, contours of 4
190K Isotherm
50 m/s

10011612, 36 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011618, 42 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011700, 48 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011706, 54 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011712, 60 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011718, 66 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011800, 72 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011806, 78 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011812, 84 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011818, 90 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011900, 96 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011906, 102 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011912, 108 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10011918, 114 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s

10012000, 120 hour forecast for 100mb T





Precip past 6 hours 4 kg/m2 or greater, contours of 4

190K Isotherm

→ 50 m/s