10012812, 12 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10012818, 18 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10012900, 24 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10012906, 30 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10012912, 36 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10012918, 42 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013000, 48 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013006, 54 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013012, 60 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013018, 66 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013100, 72 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013106, 78 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013112, 84 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10013118, 90 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10020100, 96 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10020106, 102 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10020112, 108 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10020118, 114 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s

10020200, 120 hour forecast for 100mb T





Precip (tot dotted, conv solid) past 6 hours 4 kg/m2 or greater, conto

190K Isotherm

→ 50 m/s