


### Convectively-influenced 7-day back trajectory at 55 kft level from boxed region on 08/03/2020, 06Z


Fig. 1: End locations of trajectories influenced by convection in the past 7 days. Time since most recent convection in color.



0 1 2 3 4 5 6 7  
time since most recent convection (day)


### Convectively-influenced 7-day back trajectory at 55 kft level from boxed region on 08/03/2020, 06Z

Fig. 2: Trajectories influenced by most recent convection (asterisks) between 0 and 3.5 days



### Convectively-influenced 7-day back trajectory at 55 kft level from boxed region on 08/03/2020, 06Z



Fig. 3: Trajectories influenced by most recent convection (asterisks) between 0 and 3.5 days (As Fig. 2 but convection locations only)



0.0 0.5 1.0 1.5 2.0 2.5 3.0 3.5  
time since most recent convection (day)

### Convectively-influenced 7-day back trajectory at 55 kft level from boxed region on 08/03/2020, 06Z



Fig. 4: Locations of most recent convection (top: 0 to 3.5 days; bottom: 3.5 to 7 days).



0 1 2 3 4 5 6 7  
time since most recent convection (day)

### Convectively-influenced 7-day back trajectory at 55 kft level from boxed region on 08/03/2020, 06Z


Fig. 5: Trajectories influenced by most recent convection that occurs outside of boxed region at location X.



0 1 2 3 4 5 6 7  
time since most recent convection (day)

### Convectively-influenced 7-day back trajectory at 55 kft level from boxed region on 08/03/2020, 06Z

Fig. 6: Convective source regions (in color) of most recent convection occurring in one of the 4 regions between 0 and 7 days



E China (20-40N, 100-125E)    SE Asia (5-20N, 90-115E)    Plateau S Flank (20-35N, 70-100E)    W Pacific (5-30N, 115-145E)