




13120306, 6 hour forecast for 50mb EPV





13120312, 12 hour forecast for 50mb EPV



13120318, 18 hour forecast for 50mb EPV





13120400, 24 hour forecast for 50mb EPV




197.5K Isotherm
202.5K Isotherm
200K Isotherm
205K Isotherm

13120406, 30 hour forecast for 50mb EPV





197.5K Isotherm
202.5K Isotherm
200K Isotherm
205K Isotherm

13120412, 36 hour forecast for 50mb EPV




13120418, 42 hour forecast for 50mb EPV



197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm


13120500, 48 hour forecast for 50mb EPV



$-2 \cdot 10^{-5}$ 0 $2 \cdot 10^{-5}$ $4 \cdot 10^{-5}$
PVU

197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm

13120506, 54 hour forecast for 50mb EPV



$-2 \cdot 10^{-5}$

0


$2 \cdot 10^{-5}$

$4 \cdot 10^{-5}$


PVU

197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm

13120512, 60 hour forecast for 50mb EPV




13120518, 66 hour forecast for 50mb EPV



$-2 \cdot 10^{-5}$ 0 $2 \cdot 10^{-5}$ $4 \cdot 10^{-5}$
PVU

197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm

13120600, 72 hour forecast for 50mb EPV



$-2 \cdot 10^{-5}$

0


$2 \cdot 10^{-5}$

$4 \cdot 10^{-5}$


PVU

197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm


13120606, 78 hour forecast for 50mb EPV




13120612, 84 hour forecast for 50mb EPV



13120618, 90 hour forecast for 50mb EPV




13120700, 96 hour forecast for 50mb EPV




$-2 \cdot 10^{-5}$ 0 $2 \cdot 10^{-5}$ $4 \cdot 10^{-5}$
PVU

197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm

13120706, 102 hour forecast for 50mb EPV



13120712, 108 hour forecast for 50mb EPV



13120718, 114 hour forecast for 50mb EPV

