




13121206, 6 hour forecast for 50mb EPV



13121212, 12 hour forecast for 50mb EPV




13121218, 18 hour forecast for 50mb EPV





$-2 \cdot 10^{-5}$ 0 $2 \cdot 10^{-5}$ $4 \cdot 10^{-5}$
PVU

197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm

13121300, 24 hour forecast for 50mb EPV




13121306, 30 hour forecast for 50mb EPV




197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm

13121312, 36 hour forecast for 50mb EPV



13121318, 42 hour forecast for 50mb EPV



$-2 \cdot 10^{-5}$

0


$2 \cdot 10^{-5}$

$4 \cdot 10^{-5}$


PVU

197.5K Isotherm
202.5K Isotherm
200K Isotherm
205K Isotherm


13121400, 48 hour forecast for 50mb EPV



13121406, 54 hour forecast for 50mb EPV




13121412, 60 hour forecast for 50mb EPV




$-2 \cdot 10^{-5}$ 0 $2 \cdot 10^{-5}$ $4 \cdot 10^{-5}$
PVU

197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm


13121418, 66 hour forecast for 50mb EPV




13121500, 72 hour forecast for 50mb EPV




13121506, 78 hour forecast for 50mb EPV




13121512, 84 hour forecast for 50mb EPV




13121518, 90 hour forecast for 50mb EPV





13121600, 96 hour forecast for 50mb EPV



13121606, 102 hour forecast for 50mb EPV



13121612, 108 hour forecast for 50mb EPV



197.5K Isotherm 200K Isotherm
202.5K Isotherm 205K Isotherm

13121618, 114 hour forecast for 50mb EPV

